


1

2

3




4

REV.	ECN NO.
V1.0	




DIMENSION TABLE (MODEL WITH BRAKE)

MODEL	LL	LR	LS	LW	S	LV	WK	V	T	RH	TP
ECMA-G□1306□4	183.5	55	47	36	24	---	8	8	7	20	---
ECMA-G□1306□S	183.5	55	47	36	22	---	8	8	7	18	---



ENCODER CONNECTOR			
PIN	FUNCTION	PIN	FUNCTION
2500ppr	200bt	2500ppr	200bt
A	A	T+	K
B	A	T-	L
C	B	BAT.SV	M
D	B	BAT.GND	N
E	---	P	---
F	Z	---	---
G	Z	S	DC+5V
H	---	T	DC+5V
J	---	---	---

MOTOR CONNECTOR	
PIN	FUNCTION
A	---
B	W PHASE
C	---
D	---
E	GND
F	U PHASE
G	BRAKE
H	BRAKE
I	V PHASE



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUS OR DEVICES WITHOUT PERMISSION.

Drawing Name: ECMA-G□1306□□  
USED ON: XXXXXX

Drawn: \_\_\_\_\_  
Date: \_\_\_\_\_  
Design: \_\_\_\_\_  
ECN No.: \_\_\_\_\_

DIMENSIONAL TOLERANCES			
( )	( )	( )	( )
DECIMALS	<50	<50	<50
X.X	>50-100	>50-100	>50-100
X.X	>100-200	>100-200	>100-200
X.XX	>200	>200	>200

Part No.: \_\_\_\_\_  
REV. \_\_\_\_\_  
SHEET 1 OF 1

1

2

3

4